

Comfortmaker® Residential Warranties at a Glance

MAXIMUM STRENGTH WARRANTIES FOR HOMEOWNERS

Every Comfortmaker® home comfort product is backed the way it's built—to be the best. How do you know for sure? Warranty coverage. When it comes to such a major investment, there's no better gauge of quality. Maximum strength warranties give you exceptional protection and provide lasting satisfaction with your Comfortmaker product. Your heating and air conditioning dealer will recommend the best product options for your home and installation requirements.

NO HASSLE REPLACEMENT™ LIMITED WARRANTY

Select Comfortmaker heating and cooling products provide a one-time equivalent unit replacement if the compressor, outdoor coil, evaporator coil (fan coils only), or heat exchanger should fail during the No Hassle Replacement™ limited warranty period, which varies in length of coverage from 1 to 10 years to the original purchaser. As the product features and efficiencies get better, so does the No Hassle Replacement limited warranty in order to give you the maximum protection for your heating and cooling system.





PARTS LIMITED WARRANTY

Comfortmaker gas and oil furnaces and R410A-based air conditioners, heat pumps, fan coils, geothermal, ductless systems and small package products carry a 10-year limited warranty on parts to the original owner, when product is used in a residential application and properly registered within 90 days after original installation. Otherwise, the parts warranty period is five years from the date of installation. The remainder of the first five years of parts warranty is available to subsequent owners, but such coverage terminates on the five-year anniversary of the original installation of the product. Please see additional key component warranty details below:

THE HEART OF THE HEATING SYSTEM

Comfortmaker Air Conditioning & Heating backs the heat exchanger with longer limited warranty periods (up to lifetime available on select models) to the original owner, when product is used in a residential application and properly registered within 90 days after original installation. Coverage varies by furnace type, so please see enclosed charts for length of coverage details.

THE HEART OF THE COOLING SYSTEM

Compressors in Comfortmaker cooling products utilizing environmentally sound R410A refrigerant carry a 10-year limited warranty to the original owner, when product is used in a residential application and properly registered within 90 days after original installation.



Furnaces

	SOFTS	SOUND® D	ELUXE	S	DFTSOUNI	D*	PERFORMANCE				
Comfortmaker® Gas Furnace Options	G9MAE	G9MVE	G8MVL	G9MXT	G9MXE	G8MTL	N9MSE	N9MSB	N8MXL	N8MS	
Comfort Features											
Quiet Operation	Best	Best	Best	Better	Better	Better	Good	Good	Good	Good	
Temperature Control	Best	Best	Best	Better	Better	Better	Good	Good	Good	Good	
Efficiency											
Heating AFUE	Up to 98	Up to 96	80	Up to 96	Up to 96	80	Up to 95.5	Up to 92.1	80	80	
SEER Boosting ECM Fan Motor	•	•	•	•	•				•		
Design Features											
Observer® Communicating System Compatible (When Installed with Observer Wall Control with Wi-Fi®)		•	•								
Modulating (Multi-Stage) Gas Valve											
Two-Stage Gas Valve		•	•	•		•					
Variable-Speed Fan Motor	•	•	•								
Peace of Mind											
10-Year Parts Limited Warranty ⁱ		•	•	•	•	•	•	•	•	•	
No Hassle Replacement ^{**} Limited Warranty ²	10-yr	10-yr	10-yr	5-yr	1-yr	5-yr					

Ductless Systems

Comfortmaker®			SINGLE ZO	NE		DLCBHR High Wall High Wall High Wall Coscotte Ductod Floor							
Ductless			SINGLE 20	IVL				WOLIT-2	ONL				
System Options	DELUXE	COMFORT	COMFORT	PERF	ORMANCE			DELU)	Œ				
Indoor	DLFAHH	DLFCAB	DLFCHB	DLFDAB	DLFDHB	DLFAHH	DLFBHB	DLFCHB	DLFBHC	DLFBHD	DLFBHF		
Outdoor	DLCAHB	DLCCAR	DLCCHR	DLCDAR	DLCDHR	DLCBHR							
Type of System													
Type of Indoor Unit	High Wall	High Wall	High Wall	High Wall	High Wall	High Wall	High Wall	High Wall	Cassette	Ducted	Floor Console		
Cooling Only		•		•									
Heat Pump	•		•		•			•					
Comfort Features													
Temperature Control	Best	Better	Better	Good	Good	Best	Better	Better	Best	Best	Best		
Up-Down Auto Swing	•	•	•	•	•	•	•	•	•		•		
Left-Right Auto Swing	•					•	•						
Wireless Remote Control	•	•	•	•	•	•	•	•	•	•	•		
Wired Remote Control		Optional	Optional	Optional	Optional		Optional	Optional	•	•			
Efficiency			ı		I				ı	I			
Cooling SEER	Up to 30.5	Up to 23.0	Up to 23.0	16.0	16.0			Up to 22	2.0				
Heating HSPF	Up to 10.3		Up to 10.5		10.55			Up to 10	0.2				
ENERGY STAR® Certified (Select Sizes)	•	•	•					•					
Sound													
Lowest Sound Pressure dB(A) (Indoor)*	26	26	26	28	28	26	33	26	35	31	25		
Lowest Sound Pressure dB(A) (Outdoor)*	53	53	53	52	52			56					
Design Features													
Variable-Speed Inverter Compressor	•	•	•	•	•	•							
Basepan Heater Factory Installed	•		•		•	•							
Number of Indoor Fan Speeds	8 when cooling 7 when heating	4	4	4	4 on sizes 9-24 3 on sizes 30-36	8 when cooling 7 when heating	7	4	4	4	7		
Peace of Mind													
10-Year Parts Limited Warranty	•	•	•	•				•					

^{*}Sound levels represent the lowest decibel level achieved from the quietest size within each model group during low fan-speed operation.

Split Systems

Geothermal

		OUND® LUXE	SOFTSOUND*			PERFORMANCE						Comfortmaker®	НР	НВ	HS	HW
Comfortmaker® Split System	CVA9	CCA7	CSA6	CSA5	C4A3	N4A7	NXA6/	NXA4/	N4A4*	NH4A4	N4A3	Geothermal Options	SERIES	SERIES	SERIES	SERIES
Air Conditioner	CVAS	CUAI	GSAU	GSAS	GAMO	N4AI	N4A6	N4A5	N4A4	NITTA	INTAS	Comfort Features				
Options Comfortmaker®												Temperature Control	Best	Better	Best	Best
Split System Heat Pump	CVH8	CCH6	CSH5/ CSH6	CSH4		N4H6	NXH5/ NXH6	N4H4*		NH4H4		Heating Stages (with Aux. Heat)	3	2	3	2
Options												Cooling Stages	2	1	2	2
Comfort Features												Efficiency				
Summer Dehumidification	Best	Best	Better	Better	Better	Better	Good	Good	Good	Good	Good	Cooling EER (Closed Loop)	Up to 24.5	Up to 21.7	Up to 24.7	Up to 22.1
Temperature Control	Best	Best	Better	Better	Better	Better	Good	Good	Good	Good	Good	Heating COP (Closed Loop)	Up to 4.0	Up to 4.3	Up to 4.6	Up to 3.2
Efficiency Cooling SEER	Up to 19	Up to 17.5	Un to 17	Up to 15	13	Up to 17.5	Up to 17	14.5	14	14	13–14	ENERGY STAR® Qualified	•	•	•	•
Electric Heating HSPF												Design Features				
(Heat Pumps only)	Up to 11	Up to 9.5	Up to 9	Up to 8.2		Up to 9.5	Up to 9	8.2		8.2		Optional Hot				
Design Features												Water Feature	Optional	Optional	•	•
Observer® Communicating												Air Filter, MERV 8, 2"	•	•		
System Compatible (When Installed with Observer Wall Control	•	•	•	•								Compressor Stages	2	1	2	2
with Wi-Fi®) Compressor Stages	Variable	2	1	1	1	2	1	1	1	1	1	Cabinet Insulation	Closed Cell Foam	Fiberglass	Closed Cell Foam	Fiberglass
Compressor				-	-	_	-	-		-	-	Peace Of Mind				
Sound Jacket	•	•	•	•	•							10-Year Parts Limited Warranty	•	•	•	•
Multi-Speed Fan Motor	•	•			•	•						10-Year Limited	•			
Peace of Mind												Labor Warranty	-		-	_
10-Year Parts Limited Warranty	•	•	•	•	•	•	•	•	•	•	•	5-Year Limited Labor Warranty		•		
No Hassle Replacement [™] Limited Warranty ²	10-yr	10-yr	5-yr	3-yr	1-yr							No Hassle Replacement [™] Limited Warranty	5-yr		5-yr	5-yr

^{*} Coastal model available

Fan Coils

Comfortmaker [®] Fan Coil Options	FCM	FVM	FXM	FEM	FMA
Comfort Features					
Summer Dehumidification	Best	Best	Better	Better	Good
Temperature Control	Best	Best	Better	Better	Good
Efficiency					
SEER Boosting ECM Fan Motor	•	•	•	•	
Design Features					
Observer* Communicating System Compatible (When Installed with Observer Wall Control with Wi-Fi*)	•				
Variable-Speed Fan Motor	•	•			
Peace of Mind					
10-Year Parts Limited Warranty	•	•	•	•	•
No Hassle Replacement™ Limited Warranty²	10-yr	10-yr	5-yr	1-yr	

Minimum Air Conditioner Efficiencies



On January 1, 2015, a new set of minimum efficiency standards took effect. Under the new standards, there are different efficiency minimums for air conditioners in each of three regions—North, Southeast and Southwest. The national minimum efficiency standard for heat pumps is 14 SEER/8.2 HSPF.

*12.2 EER<45,000 Btu/h, 11.7 EER≥45,000 Btu/h

Small Package Products

			SO	FTSOUND®			PERFORMANCE							
Comfortmaker [®] Small Package Product Options	Gas Furnace/ Electric Heat Pump Combination Gas Furna Air Conditi Combination		ditioner Heat Pumps		Pumps	Air Conditioners		Gas Furnace/ Electric Heat Pump Combination	Gas Furnace/ Air Conditioner Combinations	Heat Pumps		Air Conditioners		
	PDS4	PGR5	PGS4	PHR5	PHD4	PAR5	PAD4	PDD4	PGD4	PHD4	PHJ4	PAD4	PAJ4	
Comfort Features					<u> </u>									
Summer Dehumidification	Better	Best	Better	Best	Better	Best	Better	Better	Better	Better	Good	Better	Good	
Temperature Control	Better	Best	Better	Best	Better	Best	Better	Better	Better	Better	Good	Better	Good	
Efficiency		,	1											
Cooling SEER	Up to 14.5	Up to 16	14	Up to 16	Up to 14.5	Up to 16	Up to 14.5	Up to 14.5	Up to 14	Up to 14.5	Up to 14.5	Up to 14.5	Up to 14.5	
Electric Heating HSPF	8			Up to 8.5	8			8		8	8			
Gas Heating AFUE	81%	81%	81%					81%	81%					
Design Features														
Dual Fuel Heating	•							•						
Gas Valve Stages	1	2	1					1	1					
High-Efficiency, Multi- Speed ECM Blower		•	•	•	•	•	•	•	•	•	•	•	•	
Compressor Stages	1	2	1	2	1	2	1	1	1	1	1	1	1	
Peace of Mind														
10-Year Parts Limited Warranty ¹		•	•	•	•	•	•	•	•	•	•	•	•	
No Hassle Replacement [™] Limited Warranty²	3-yr	5-yr	3-уг	5-yr	3-yr	5-yr	3-yr			*		*		
Heat Exchanger Limited Warranty ¹	Lifetime	Lifetime	Lifetime					15-yr	15-yr					

^{*} Three-year No Hassle Replacement™ limited warranty for tin-coated coil models.

#1 - Comfortmaker gas and oil furnaces and R410Abased air conditioners, heat pumps, fan coils, geothermal, ductless systems and small package products carry a ten (10) year limited warranty on parts, including compressor and condenser coil, to the original owner, when product is used in a residential application and properly registered within 90 days after original installation. (See Warranty Certificate for registration instructions. Registration not required in all jurisdictions.) Otherwise, the warranty period is five (5) years from the date of installation. Heat exchangers carry longer limited warranty coverage that applies to original homeowners with timely registration.

Otherwise, heat exchanger warranties are 10-20 years from date of installation, depending on model. Check individual listings. Restrictions apply. See Warranty Certificate for details.

#2 - See Warranty Certificate for details on the No Hassle Replacement™ limited warranty. Go to Comfortmaker.com to view the most current and complete Warranty Certificate for further details.

Many models are ENERGY STAR® qualified. Ask your contractor for details or visit www.energystar.gov.

All systems tested and listed by the appropriate agencies.





ISO 9001: 2000 Registered

PO Box 128 Lewisburg, TN 37091 Comfortmaker.com As part of its commitment to quality. International Comfort Products

reserves the right to change specifications on its products without notice. Illustrations and photographs in this brochure are only representative. Some product models may vary. Wi-Fi $^{\circ}$ is a registered trademark of the Wi-Fi Alliance Corporation.

Part No. 40142063001 Printed 12/17

Comfortmaker